


ESI

"ESI" SERIES 4-CELL STAINLESS STEEL 600x600mm PLATFORMS



Stainless steel monobloc electronic platforms, suitable for weighing in all types of industrial and commercial applications. Standard version is with approved load cell.

MAIN FEATURES

- Fitted with 4 bending beam, stainless steel, approved load cells with IP68 protection from dust and water.
- Very sturdy monobloc steel tubular structure with fixed stainless steel chequered loading surface.
- IP68 junction box.
- Adjustable, antislip feet and level.
- Up to 15 Vdc power supply.
- Shielded 5m long 6-pin cable with connectors for connection to the indicator.


OPTIONS ONLY AVAILABLE AT TIME OF ORDER

- Connection to the indicator and calibration with CE-M 3000e single range or 3000e+3000e dual range approval.
- Models with special sizes and capacities (ask for estimate).
- ATEX version upon request

ACCESSORIES

- Indicator support stand.
- Pit frame for flush floor installation.

DETAIL 1



dimensions in mm

VERSIONS

Available versions					
	l x w x h	Max	d	CE-M*	CE-M*
Code	(mm)	(kg)	(g)	3000e (g)	2x3000e (g)
ESI150-1	600x600x88	150	20	50	20-50
ESI300-1	600x600x88	300	50	100	50-100

 $^{(\}mbox{\ensuremath{^{\star}}})$ These divisions are obtainable only with the relative options





DINI ARGEO FRANCE sarl Nogent-sur-Marne

DINI ARGEO **GMBH** Sinsheim - Germany

UK Ltd

Taunton - United Kingdom

DINI ARGEO

DINI ARGEO WEIGHING INSTRUMENTS Ltd Shanghai - China

DINI ARGEO WEIGHBRIDGES Calto (RO) - Italy



HEAD OFFICE Via Della Fisica, 20 41042 Spezzano di Fiorano Modena - Italy







VAHY PRO S.R.O.

FUGNEROVA 345 - 40004 - TRMICE

Tel. 0042-0475620800 Fax. 0042-0475620800

vahypro@vahypro.cz

 $SALES\ AND\ TECHNICAL\ ASSISTANCE\ SERVICE$